


# 4X4 MIMO 5G Sticking Antenna Specification



**Model: DLMIMO-45G-C24**

5G SRS antenna MIMO 1/2 (TX & RX)				
Frequency Range	2G/3G/4G/5G			
	800-960Mhz	1710-2690Mhz	3300-3800Mhz	4400-5000Mhz
V.S.W.R.	2.5:1	2.5:1		
Impedence	50Ohm			
Peak Gain	1dBi	3dBi	3.8dBi	4dBi
Efficiency	≥40%	≥50%	≥45%	≥40%
Azimuth	Omni-directional			
Polarization	Linear Polarization			
5G SRS antenna MIMO 3/4 (RX)				
Frequency Range	4G/5G			

**DOLIN GROUP LIMITED**

	/	1710-2690Mhz	3300-3800Mhz	4400-5000Mhz
<b>V.S.W.R.</b>	/	2.5:1		
<b>Impedence</b>	50Ohm			
<b>Peak Gain</b>	/	3dBi	3.6dBi	3.8dBi
<b>Efficiency</b>	/	≥40%	≥45%	≥45%
<b>Azimuth</b>	Omni-directional			
<b>Polarization</b>	Linear Polarization			
<b>Isolation (MIMO 1/2/3/4)</b>	700~960MHz	1710~2690MHz	3300~3800MHz	4400~5000MHz
	≥10dB	≥12dB	≥15dB	≥15dB
<b>Material</b>				
<b>Antenna house</b>	ABS			
<b>PCB</b>	FR-4			
<b>Mount</b>	Screw			
<b>RF Cable</b>	LMR 100			
<b>RF Connector</b>	SMA/MCX/FAKRA or other			
<b>Testing Conditions</b>				
<b>Working Temp</b>	-40°C~+85°C			
<b>Storage Temp</b>	-45°C~+85°C			



DOLIN GROUP LIMITED [www.dolinele.com](http://www.dolinele.com)  
 Sales@dolinele.com [dolinsales@163.com](mailto:dolinsales@163.com)  
 Skype: dolinsales What's APP: +86 19 5858 4601

Size drawing:

